

Benchmarks Report

the data is in street name order				
Elevation	Year est	Street Name	Cross Street	Remarks
746.99'	1998	Castalia Street		"+" on west flange bolt of fire hydrant located on the east side of Castalia Street at the north property line of Dendinger Brothers and the south property line of Steve Mays Veterinarian Clinic.
742.36'	1998	Castalia Street	Haensler Street	"+" on east flange bolt of fire hydrant located at the southwest corner of Castalia Street & Haensler Street at house No. 619.
741.32'	1998	Castalia Street	Moore Avenue	"+" on west flange bolt of fire hydrant located at the southeast corner of Castalia Street & Moore Street at house No. 632.
743.18'	1998	Castalia Street	Sandusky Street	"+" on west flange bolt of fire hydrant located at the southeast corner of Sandusky Street & Castalia Street.
748.24'	1998	Castalia Street	Sherman Street	"+" on west flange bolt of fire hydrant located at the southeast corner of Castalia Street & Sherman Street at house No. 323.
748.97'	1998	Castalia Street		"+" on northwest flange bolt of fire hydrant located at house No. 216 on east side of Castalia Street.
737.90'	1998	Castalia Street		"+" on east flange bolt of fire hydrant located on the west side of Castalia Street near the north corporation line. North of north driveway of Gildenmeister Motors.
741.26'	1998	Castalia Street	Sheridan Street	"+" on west flange bolt of fire hydrant located at the northeast corner of Castalia Street & Sheridan Street at house No. 500.
746.90'	1998	Castalia Street		"+" on east flange bolt of fire hydrant located on the west side of Castalia Street in front of Shumaker School.
742.56'	1998	Castalia Street		"+" on east flange bolt of fire hydrant located on the west side of Castalia Street in front of the Gas Regulator Station.
746.52'	1998	Castalia Street	Aigler Boulevard	"+" on east flange bolt of fire hydrant located at the southwest corner of Aigler Boulevard and Castalia Street.
761.10'	1998	East Main Street	Gunther Street	"+" on north flange bolt of fire hydrant located on the south side of East Main Street across from Gunther Street.
761.57'	1998	East Main Street	Walnut Street	"+" on south flange bolt of fire hydrant located at the northwest corner of East Main Street & Walnut Street.
762.85'	1998	East Main Street		"+" on north flange bolt of fire hydrant located on the south side of East Main Street at house No. 742 1/2.
761.78'	1998	East Main	Hickory Street	"+" on north flange bolt of fire hydrant located at the southwest corner of East Main

		Street		Street & Hickory Street.
762.80'	1998	East Main Street		"+" on north flange bolt of fire hydrant located on the southside East Main Street at house No. 826.
760.77'	1998	East Main Street	Sheffield Street	"+" on south flange bolt of fire hydrant located on the northwest corner of East Main Street and Sheffield Street.
761.39'	1998	East Main Street	Brinker Street	"+" on south flange bolt of fire hydrant located at the northeast corner of East Main Street & Brinker Street.
759.93'	1998	East Main Street	"Big Ditch"	"+" on north flange bolt on fire hydrant located on the south side of East Main Street just east of the Big Ditch.
760.57'	1998	East Main Street	"Big Ditch"	Top of fire hydrant located on the south side of East Main Street just east of the Big Ditch.
758.31'	1998	East Main Street		"+" on north flange bolt of fire hydrant located on the south side of East Main Street (at 100 East Main Street).
761.08'	1998	East Main Street	Sandusky Street	"+" on north flange bolt of fire hydrant located at the southwest corner of East Main Street & Sandusky Street.
760.99'	1998	East Main Street	Sandusky Street	"+" on south flange bolt of fire hydrant located at the northeast corner of East Main Street and Sandusky Street.
752.62'	1998	East Main Street	Lyme Street	"+" on north flange bolt of fire hydrant located on the south side of East Main Street across from Lyme Street.
748.36'	1998	East Main Street	Harkness Street	"+" on south flange bolt of fire hydrant located on the northeast corner of East Main Street & Harkness Street.
752.41'	1998	East Main Street	McKim Street	"+" on north flange bolt of fire hydrant located at the southwest corner of East Main Street & McKim Street.
755.49'	1998	East Main Street	Sinclair Street	"+" on south flange bolt of fire hydrant located at the northwest corner of East Main Street & Sinclair Street.
738.16'	1998	Goodrich Road		"+" on north flange bolt of fire hydrant located at the west property line of International Metal Hose on south side of Goodrich Road.
742.86'	1998	Goodrich Road		"+" on northeast bolt of southwest signal base of railroad crossing signal. Located on the west side of the railroad tracks just east of Great Lakes Parkway.
740.14'	1998	Goodrich Road		"+" on north flange bolt of fire hydrant located in front of Autoplas Industries on the south side of Goodrich Road.
737.34'	1998	Goodrich Road		"+" on north flange bolt of fire hydrant located in front of Center Manufacturing on the south side of Goodrich Road.
734.00'	1998	Goodrich Road	Carol Avenue	"+" on east flange bolt of fire hydrant located at the southwest corner of Goodrich Road and Carol Avenue.

744.31'	1998	Goodrich Road	Roger Avenue	"+" on east flange bolt of fire hydrant located at the southwest corner of Goodrich Road and Roger Avenue.
742.95'	1998	Goodrich Road		"+" on southwest bolt of northeast signal base of railroad crossing signal. Located on the east side of the railroad tracks just east of Great Lakes Parkway.
735.94'	1998	Goodrich Road		"+" on north flange bolt of fire hydrant located in front of Woodards Photography on the south side of Goodrich Road.
752.71'	1998	Harrison Street		"+" in north flange bolt on fire hydrant located west of S.R. 269 overpass at house No. 132 on south side of Harrison Street.
760.63'	1998	Kilbourne Street		"+" in east flange bolt of fire hydrant located on the west side of Kilbourne Street at house No. 754. (by Assembly of God Church).
763.84'	1998	Kilbourne Street		"+" on east flange bolt of fire hydrant located on the west side of Kilbourne Street & house No. 836.
761.20'	1998	Kilbourne Street		"+" on east flange bolt of fire hydrant located at the west side of Kilbourne Street at house No. 820.
759.02'	1998	Kilbourne Street	Bellaire Drive	"+" on east flange bolt of fire hydrant located at the northwest corner of the intersection of Kilbourne Street & Bellaire Drive.
766.95'	1998	Kilbourne Street		"+" on east flange bolt of fire hydrant located on the west side of Kilbourne Street at house No. 724.
769.06'	1998	Kilbourne Street	Shumaker Street	"+" on northwest flange bolt of fire hydrant located on the east side of Kilbourne Street at Shumaker Street.
766.96'	1998	Kilbourne Street	Decker Street	"+" on west flange bolt on fire hydrant located at the northeast corner of Kilbourne Street & Decker Street.
759.44'	1998	Kilbourne Street	East Gardner Road	Top of operating nut of fire hydrant.
753.49'	1998	Kilbourne Street		"+" on west flange bolt of fire hydrant located on the east side of Kilbourne Street at car wash; house No. 119.
751.95'	1998	Kilbourne Street	Center Street	"+" on west flange bolt of fire hydrant located at the intersection of Kilbourne Street & Center Street in island area.
756.57'	1998	Kilbourne Street	Hamilton Street	"+" in west flange bolt of fire hydrant located on the east side of Kilbourne Street North of Hamilton Street; house No. 244.
758.88'	1998	Kilbourne Street	East Gardner Road	"+" on west flange bolt on fire hydrant located at the northeast corner of Kilbourne Street & East Gardner Road.
752.22'	1998	Kilbourne Street	Ashford Avenue	"+" on east flange bolt of fire hydrant located at the northwest corner of the intersection of Kilbourne Street & Ashford Avenue.
784.06'	1998	Monroe		"+" in south flange bolt on fire hydrant located on the north side of Monroe Street: house

		Street		No. 947.
746.87'	1998	Monroe Street	Broad Street	"+" on south flange bolt of fire hydrant located at the northwest corner of Monroe Street & Broad Street.
757.60'	1998	Monroe Street	South Buckeye Street	"+" on south flange bolt of fire hydrant located at the southeast corner of Monroe Street & South Buckeye Street.
759.20'	1998	Monroe Street		"+" on east flange bolt of fire hydrant located on the west side of Monroe Street at Progress Plastics; at house No. 420.
759.85'	1998	Monroe Street	Dewey Street	"+" on west flange bolt of fire hydrant located at southeast corner of Monroe Street & Dewey Street; at house No. 501.
772.44'	1998	Monroe Street	Hobson Street	"+" on west flange bolt of fire hydrant located at the northeast corner of Monroe Street & Hobson Street; house No. 613.
784.70'	1998	Monroe Street	"Big Ditch"	"+" at the southwest corner of the north stone headwall.
783.10'	1998	Monroe Street	Madden Street	"+" on south flange bolt of fire hydrant located at the northeast corner of Monroe Street and Madden Street; house No. 905.
784.83'	1998	Monroe Street	"Big Ditch"	drill hole with crows feet on top of the east side of the south stone headwall.
777.53'	1998	Monroe Street	Sampson Street	"+" on west flange bolt of fire hydrant located at the southeast corner of Monroe Street & Sampson Street; house No. 801.
742.61'	1998	North Street	Buckeye Street	"+" on east flange bolt of fire hydrant at southwest corner of North Street and Buckeye Street.
746.49'	1998	North Street	Lyme Street	"+" on east flange bolt of fire hydrant located at the northwest corner of Lyme Street and North Street.
750.83'	1998	Northwest Street	North Street	"+" on north flange bolt of fire hydrant located at the southeast corner of Northwest Street & North Street.
754.01'	1998	Northwest Street		"+" on west flange bolt of fire hydrant located on the east side of Northwest Street south of North Street at Beery's Cleaners.
736.71'	1998	Roger Avenue		East flange bolt of fire hydrant located on the west side of Roger Avenue at the south line of residence 131 Roger Avenue.
755.76'	1998	Southwest Street	Center Street	"+" in east flange bolt on fire hydrant located at the southwest corner of Southwest Street & Center Street.
758.13'	1998	Southwest Street	Main Street	"+" on northeast flange bolt of fire hydrant located at the southwest corner of Southwest Street & Main Street.
763.39'	1998	West Main Street		"+" on south flange bolt of fire hydrant located on the north side of West Main Street between "Wendy's" and the Methodist Church.

764.52'	1998	West Main Street		"+" on north flange bolt of fire hydrant located on the south side of West Main Street at west P/L of house No. 455.
769.48'	1998	West Main Street		"+" on north flange bolt of fire hydrant located at the south side of West Main Street at house No. 783.
766.76'	1998	West Main Street		"+" on north flange bolt of fire hydrant located on the south side of West Main Street, at house No. 761.
759.85'	1998	West Main Street		"+" on north flange bolt of fire hydrant located on the south side of West Main Street at house No. 733.
757.51'	1998	West Main Street		"+" on south flange bolt of fire hydrant located on the north side of West Main Street at "East of Chicago's Pizza" (Approximately 100 feet east of Yorkshire Place)
756.45'	1998	West Main Street		"+" on south flange bolt of fire hydrant located on the north side of West Main Street at house No. 616.
757.61'	1998	West Main Street		"+" on north flange bolt of fire hydrant located on the south side of West Main Street & "Kentucky Fried Chicken".
762.01'	1998	West Main Street	Lawrence Street	"+" on west flange bolt of fire hydrant located at the intersection of the southeast corner of West Main Street & Lawrence Street; house No. 517.
762.25'	1998	West Main Street	Greenwood Heights	"+" on south flange bolt of fire hydrant located at the northwest corner of West Main Street and Greenwood Heights.
765.93'	1998	West Main Street	Walter Street	"+" on west flange bolt of fire hydrant located on the northeast corner of Walter Street and West Main Street; house No. 484.
758.13'	1998	West Main Street	Southwest Street	"+" on northeast flange bolt of fire hydrant located at the southwest corner of Southwest Street & Main Street.
764.24'	1998	West Main Street		"+" on south flange bolt of fire hydrant located on the north side of West Main Street at house No. 462.
763.67'	1998	West Main Street		"+" on north flange bolt of fire hydrant located on the south side of West Main Street at the "Bellevue Professional Building"; house No. 423.
759.50'	1998	West Main Street		"+" on north flange bolt of fire hydrant located on the south side of West Main Street at the "First Church of Christ Scientist"; at house No. 295.
760.45'	1998	West Main Street		"+" on south flange bolt of fire hydrant located on the north side of West Main Street at Attwood Terrace extended; at house No. 260.
752.28'	1998	West Main Street		"+" on north flange bolt of fire hydrant located on the south side of West Main Street at house No. 241.
749.26'	1998	West Main Street		"+" on north flange bolt of fire hydrant located on the south side of West Main Street at C.V.S. Pharmacy.
755.53'	1998	West Main	Exchange	"+" on south flange bolt of fire hydrant located at the northwest corner of the intersection

		Street	Street	of West Main Street & Exchange Street.
758.88'	1998	West Main Street	Grove Street	"+" on south flange bolt of fire hydrant located at the northeast corner of West Main Street & Grove Street.